

Client Authentication

This resource is used to obtain a token authentication to access the uContact APIs, created for logging in from another application to enable integrations.

You can check the [Postman Collection](#) to test in your instance.

All data enclosed in "{ { } }" are values that will be replaced with the client's own data and/or the corresponding instance.

HTTP Request

Method	Resource
POST	/Integra/resources/auth/getUserToken

Request Header

Key	Value
Content-Type	application/x-www-form-urlencoded

Request Body

Key	Type	Description
user	Text (String)	User Name
password	Text (String)	User Password

Code Examples

You can copy the following code examples and replace the "`{{variable}}`" with the correct data.

HTTP

```
POST /Integra/resources/auth/getUserToken HTTP/1.1
Host: {{domain}}.ucontactcloud.com
Content-Type: application/x-www-form-urlencoded
Content-Length: 32

user={{User}}&password={{Password}}
```

cURL

```
curl --location --request POST 'https://{{domain}}.ucontactcloud.com/Integra/resources/auth/getUserToken' \
--header 'Content-Type: application/x-www-form-urlencoded' \
--data-urlencode 'user={{UserName}}' \
--data-urlencode 'password={{PasswordUser}}'
```

JavaScript

```
var myHeaders = new Headers();
myHeaders.append("Content-Type", "application/x-www-form-urlencoded");

var urlencoded = new URLSearchParams();
urlencoded.append("user", "{{UserName}}");
urlencoded.append("password", "{{PasswordUser}}");

var requestOptions = {
  method: 'POST',
  headers: myHeaders,
  body: urlencoded,
  redirect: 'follow'
};

fetch("https://{{domain}}.ucontactcloud.com/Integra/resources/auth/getUserToken", requestOptions)
  .then(response => response.text())
  .then(result => console.log(result))
  .catch(error => console.log('error', error));
```

jQuery

```
var settings = {
  "url": "https://{domain}.ucontactcloud.com/Integra/resources/auth/getUserToken",
  "method": "POST",
  "timeout": 0,
  "headers": {
    "Content-Type": "application/x-www-form-urlencoded"
  },
  "data": {
    "user": "{{UserName}}",
    "password": "{{PasswordUser}}"
  }
};

$.ajax(settings).done(function (response) {
  console.log(response);
});
```

C#

```
var client = new RestClient("https://{domain}.ucontactcloud.com/Integra/resources/auth/getUserToken");
client.Timeout = -1;
var request = new RestRequest(Method.POST);
request.AddHeader("Content-Type", "application/x-www-form-urlencoded");
request.AddParameter("user", "{{User}}");
request.AddParameter("password", "{{UserPassword}}");
IRestResponse response = client.Execute(request);
Console.WriteLine(response.Content);
```

Java

```
OkHttpClient client = new OkHttpClient().newBuilder()
    .build();
MediaType mediaType = MediaType.parse("application/x-www-form-urlencoded");
RequestBody body = RequestBody.create(mediaType, "user={{User}}&password={{UserPassword}}");
Request request = new Request.Builder()
    .url("https://{domain}.ucontactcloud.com/Integra/resources/auth/getUserToken")
    .method("POST", body)
    .addHeader("Content-Type", "application/x-www-form-urlencoded")
```

```
.build();  
Response response = client.newCall(request).execute();
```

HTTP Response

```
"{{token}}"
```

Respuesta de error

```
"0"
```

Revision #9

Created 24 September 2024 16:53:46 by Victor Cisneros

Updated 2 October 2024 20:41:09 by Victor Cisneros