

Get Campaigns

To obtain all campaigns created within uContact, this API can be used, which returns the totality of Dialers and Queues.

You can check the [Colección de Postman](#) to see an example and test it with your instance.

All data enclosed in `{{ }}` are values that will be replaced with the client's own data and/or the corresponding instance.

HTTP Request

Method	Resource
POST	/Integra/resources/queues/getqueues

Request Header

Key	Value
Content-Type	application/x-www-form-urlencoded
Authorization	Basic <code>{{Token}}</code>

Request Body

Parameter	Type	Required	Description
lastrow	Text	No	Send empty

Code Examples

You can copy the following code examples and replace the "{{variable}}" with the correct data.

HTTP

```
POST /Integra/resources/queues/getqueues HTTP/1.1
Host: {{instance}}.ucontactcloud.com
Content-Type: application/x-www-form-urlencoded
Authorization: Basic {{Token}}
Content-Length: 8

lastrow=
```

cURL

```
curl --location --globoff 'https://{{instance}}.ucontactcloud.com/Integra/resources/queues/getqueues' \
--header 'Content-Type: application/x-www-form-urlencoded' \
--header 'Authorization: Basic {{Token}}' \
--data-urlencode 'lastrow='
```

JavaScript

```
const myHeaders = new Headers();
myHeaders.append("Content-Type", "application/x-www-form-urlencoded");
myHeaders.append("Authorization", "Basic {{Token}}");

const urlencoded = new URLSearchParams();
urlencoded.append("lastrow", "");

const requestOptions = {
  method: "POST",
  headers: myHeaders,
  body: urlencoded,
  redirect: "follow"
};

fetch("https://{{instance}}.ucontactcloud.com/Integra/resources/queues/getqueues", requestOptions)
  .then((response) => response.text())
  .then((result) => console.log(result))
  .catch((error) => console.error(error));
```

jQuery

```
var settings = {
  "url": "https://{instance}.ucontactcloud.com/Integra/resources/queues/getqueues",
  "method": "POST",
  "timeout": 0,
  "headers": {
    "Content-Type": "application/x-www-form-urlencoded",
    "Authorization": "Basic {{Token}}"
  },
  "data": {
    "lastrow": ""
  }
};

$.ajax(settings).done(function (response) {
  console.log(response);
});
```

C#

```
var client = new HttpClient();
var request = new HttpRequestMessage(HttpMethod.Post,
  "https://{instance}.ucontactcloud.com/Integra/resources/queues/getqueues");
request.Headers.Add("Authorization", "Basic {{Token}}");
var collection = new List<KeyValuePair<string, string>>();
collection.Add(new("lastrow", ""));
var content = new FormUrlEncodedContent(collection);
request.Content = content;
var response = await client.SendAsync(request);
response.EnsureSuccessStatusCode();
Console.WriteLine(await response.Content.ReadAsStringAsync());
```

Java

```
OkHttpClient client = new OkHttpClient().newBuilder()
    .build();
MediaType mediaType = MediaType.parse("application/x-www-form-urlencoded");
RequestBody body = RequestBody.create(mediaType, "lastrow=");
Request request = new Request.Builder()
```

```
.url("https://{{instance}}.ucontactcloud.com/Integra/resources/queues/getqueues")
.method("POST", body)
.addHeader("Content-Type", "application/x-www-form-urlencoded")
.addHeader("Authorization", "Basic {{Token}}")
.build();
Response response = client.newCall(request).execute();
```

Python

```
import http.client

conn = http.client.HTTPSConnection("{{instance}}.ucontactcloud.com")
payload = 'lastrow='
headers = {
    'Content-Type': 'application/x-www-form-urlencoded',
    'Authorization': 'Basic {{Token}}'
}
conn.request("POST", "/Integra/resources/queues/getqueues", payload, headers)
res = conn.getresponse()
data = res.read()
print(data.decode("utf-8"))
```

HTTP Response

Responses in which an error occurred due to the sent data will generally be delivered with an HTTP code 200 and a '0' in the response body; therefore, caution should be taken when validating the HTTP Code Response.

The successful response will be a JSON corresponding to an array of objects, where each object represents a campaign.

Respuesta exitosa

```
[
  {
    "name": "DEMO007->",
```

```
"musiconhold": "default",
"announce": "",
"context": "",
"timeout": 15,
"monitorType": "MixMonitor",
"monitorFormat": "gsm",
"announceFrequency": 0,
"announceRoundSeconds": 0,
"announceHoldtime": "no",
"announcePosition": "no",
"retry": 3,
"wrapuptime": 0,
"maxlen": 100,
"servicelevel": 15,
"strategy": "linear",
"joinempty": "yes",
"leavewhenempty": "no",
"eventmemberstatus": false,
"eventwhencalled": true,
"reporholdtime": false,
"memberdelay": 0,
"weight": 0,
"timeoutrestart": true,
"ringinuse": false,
"setinterfacevar": true,
"periodicAnnounce": "",
"periodicAnnounceFrequency": "0",
"did": "18885751288",
"direction": "outbound",
"interactions": "",
"email": "",
"thresholds": "40-80-20-50-60-180-300-6-3-",
"welcome": "& & & && & & &",
"schedule": "sun-sat;00:00-23:59",
"form": "Totality|true",
"quality": "",
"dialstring": "SIP/CLEVERSIP/9898",
"voicemail": "",
"queue_survey": 1,
"queue_timeout": 600,
```

```
"auto_answer": "FALSE",  
"show_dispositions": 1,  
"queue_breaks": "",  
"screen_recording": 0,  
"language": "en",  
"transferCampaigns": ""  
}  
]
```

Respuesta de error

```
0
```

Revision #2

Created 2 October 2024 21:22:51 by Victor Cisneros

Updated 2 October 2024 21:26:47 by Victor Cisneros