

Get Dialers

To obtain the list of uContact dialers, this API needs to be used. For example, if we want to create a dropdown menu from another application to display the dialers and perform a specific action.

You can check the [Colección de Postman](#) to see an example and test it with your instance.

All data enclosed in `{{ }}` are values that will be replaced with the client's own data and/or the corresponding instance.

HTTP Request

Method	Resource
POST	/Integra/resources/Dialers/get

Request Header

Key	Value
Authorization	Basic {{Token}}

Code Examples

You can copy the following code examples and replace the "`{{variable}}`" with the correct data.

HTTP

```
POST /Integra/resources/Dialers/get HTTP/1.1
```

```
Host: {{instance}}.ucontactcloud.com
```

```
Authorization: Basic {{Token}}
```

cURL

```
curl --location --globoff --request POST 'https://{{instance}}.ucontactcloud.com/Integra/resources/Dialers/get' \  
--header 'Authorization: Basic {{Token}}'
```

JavaScript

```
const myHeaders = new Headers();  
myHeaders.append("Authorization", "Basic {{Token}}");  
  
const requestOptions = {  
  method: "POST",  
  headers: myHeaders,  
  redirect: "follow"  
};  
  
fetch("https://{{instance}}.ucontactcloud.com/Integra/resources/Dialers/get", requestOptions)  
  .then((response) => response.text())  
  .then((result) => console.log(result))  
  .catch((error) => console.error(error));
```

jQuery

```
var settings = {  
  "url": "https://{{instance}}.ucontactcloud.com/Integra/resources/Dialers/get",  
  "method": "POST",  
  "timeout": 0,  
  "headers": {  
    "Authorization": "Basic {{Token}}"  
  },  
};  
  
$.ajax(settings).done(function (response) {  
  console.log(response);  
});
```

C#

```
var client = new HttpClient();
var request = new HttpRequestMessage(HttpMethod.Post,
"https://{instance}.ucontactcloud.com/Integra/resources/Dialers/get");
request.Headers.Add("Authorization", "Basic {{Token}}");
var response = await client.SendAsync(request);
response.EnsureSuccessStatusCode();
Console.WriteLine(await response.Content.ReadAsStringAsync());
```

Java

```
OkHttpClient client = new OkHttpClient().newBuilder()
    .build();
MediaType mediaType = MediaType.parse("text/plain");
RequestBody body = RequestBody.create(mediaType, "");
Request request = new Request.Builder()
    .url("https://{instance}.ucontactcloud.com/Integra/resources/Dialers/get")
    .method("POST", body)
    .addHeader("Authorization", "Basic {{Token}}")
    .build();
Response response = client.newCall(request).execute();
```

Python

```
import http.client

conn = http.client.HTTPSConnection("{instance}.ucontactcloud.com")
payload = ""
headers = {
    'Authorization': 'Basic {{Token}}'
}
conn.request("POST", "/Integra/resources/Dialers/get", payload, headers)
res = conn.getresponse()
data = res.read()
print(data.decode("utf-8"))
```

HTTP Response

Responses in which an error occurred due to the sent data will generally be delivered with an HTTP code 200 and a '0' in the response body; therefore, caution should be exercised when validating the HTTP Code Response.

The successful response will be a JSON-formatted text corresponding to an array of objects, where each object represents a dialer.

Successful response

```
[
  {
    "campaign": "DEMO007<-",
    "schedule": "mon,tue,wed,thu,fri,sat;08:00-21:00",
    "dialertype": "PowerDialer",
    "status": 1,
    "dialstring": "SIP/CLEVERSIP/9898",
    "context": "PowerDialer",
    "exten": "${EXTEN}",
    "am": 0,
    "sound": "",
    "maxchannels": 2,
    "variables":
"FORM=Totality:language=default:initialSilence=1500:greeting=2000:afterGreetingSilence=1000:totalAnalysisTime=2500:minWordLength=100:betweenWordSilence=50:maximumNumberOfWords=2:silenceThreshold=256",
    "timeout": 30,
    "callerid": "18885751288",
    "retries": 0,
    "callerpres": 20,
    "tbc": -5,
    "dncr": 1,
    "schedulephones":
"0=HMW:1=HMW:2=HMW:3=HMW:4=HMW:5=HMW:6=HMW:7=HMW:8=MWH:9=MWH:10=MWH:11=MWH:12=MWH:13=MWH:14=MWH:15=MWH:16=MWH:17=MWH:18=MWH:19=HMW:20=HMW:21=HMW:22=HMW:23=HMW",
    "autoanswer": 1,
    "tbc_nocontact": 0,
  }
]
```

```
"earlymedia": 0,  
"recyclecount": 0,  
"recycle": "[]",  
"country": "",  
"rule": "NONE",  
"autoconvertcallerid": 0  
}  
]
```

Error response

```
0
```

Revision #3

Created 2 October 2024 21:26:58 by Victor Cisneros

Updated 2 October 2024 21:32:14 by Victor Cisneros