

Hang Up Call

When you want to hang up a call from outside of uContact, this API is used, allowing for a more complete integration.

You can check the [Postman Collection](#) to test in your instance.

All data enclosed in "{ { } }" are values that will be replaced with the client's own data and/or the corresponding instance.

Request Information

Method	Resource
POST	/Integra/resources/Agents/HangupPhone

Request Header

Option	Value
Content-Type	application/x-www-form-urlencoded
Authorization	Basic {{Token}}

Request Body

Parameter	Type	Required	Description
phone	Number (Integer)	Yes	Agent's phone number/extension

HTTP Request

Code Examples

You can copy the following code examples and replace the "{{variable}}" with the correct data.

HTTP

```
POST /Integra/resources/Agents/HangupPhone HTTP/1.1
Host: {{instance}}.ucontactcloud.com
Authorization: Basic {{Token}}
Content-Type: application/x-www-form-urlencoded
Content-Length: 10

phone={{AgentPhone}}
```

cURL

```
curl --location --request POST 'https://{{instance}}.ucontactcloud.com/Integra/resources/Agents/HangupPhone' \
--header 'Authorization: Basic {{Token}}' \
--header 'Content-Type: application/x-www-form-urlencoded' \
--data-urlencode 'phone={{AgentPhone}}'
```

JavaScript

```
var myHeaders = new Headers();
myHeaders.append("Authorization", "Basic {{Token}}");
myHeaders.append("Content-Type", "application/x-www-form-urlencoded");

var urlencoded = new URLSearchParams();
urlencoded.append("phone", "{{AgentPhone}}");

var requestOptions = {
  method: 'POST',
  headers: myHeaders,
  body: urlencoded,
  redirect: 'follow'
};

fetch("https://{{Instance}}.ucontactcloud.com/Integra/resources/Agents/HangupPhone", requestOptions)
  .then(response => response.text())
```

```
.then(result => console.log(result))
.catch(error => console.log('error', error));
```

jQuery

```
var settings = {
  "url": "https://{Instance}.ucontactcloud.com/Integra/resources/Agents/HangupPhone",
  "method": "POST",
  "timeout": 0,
  "headers": {
    "Authorization": "Basic {{Token}}",
    "Content-Type": "application/x-www-form-urlencoded"
  },
  "data": {
    "phone": "{{AgentPhone}}"
  }
};

$.ajax(settings).done(function (response) {
  console.log(response);
});
```

C#

```
var client = new RestClient("https://{Instance}.ucontactcloud.com/Integra/resources/Agents/HangupPhone");
client.Timeout = -1;
var request = new RestRequest(Method.POST);
request.AddHeader("Authorization", "Basic {{Token}}");
request.AddHeader("Content-Type", "application/x-www-form-urlencoded");
request.AddParameter("phone", "{{AgentPhone}}");
IRestResponse response = client.Execute(request);
Console.WriteLine(response.Content);
```

Java

```
OkHttpClient client = new OkHttpClient().newBuilder()
    .build();
MediaType mediaType = MediaType.parse("application/x-www-form-urlencoded");
RequestBody body = RequestBody.create(mediaType, "phone={{AgentPhone}}");
Request request = new Request.Builder()
```

```
.url("https://{{Instance}}.ucontactcloud.com/Integra/resources/Agents/HangupPhone")
.method("POST", body)
.addHeader("Authorization", "Basic {{Token}}")
.addHeader("Content-Type", "application/x-www-form-urlencoded")
.build();
Response response = client.newCall(request).execute();
```

Python

```
import http.client

conn = http.client.HTTPSConnection("{{Instance}}.ucontactcloud.com")
payload = 'phone={{AgentPhone}}'
headers = {
    'Authorization': 'Basic {{Token}}',
    'Content-Type': 'application/x-www-form-urlencoded'
}
conn.request("POST", "/Integra/resources/Agents/HangupPhone", payload, headers)
res = conn.getresponse()
data = res.read()
print(data.decode("utf-8"))
```

HTTP Response

Successful Response

1

Error Response

0

Revision #4

Created 24 September 2024 18:45:20 by Victor Cisneros

Updated 2 October 2024 20:50:02 by Victor Cisneros